



## Accessibility Guide for Mornington Road Public Conveniences

### Contact

Contact for Accessibility Enquiries: Please contact the Town Clerk on the number below for all accessibility enquiries prior to your visit.

Email: [townclerk@cowestowncouncil.org.uk](mailto:townclerk@cowestowncouncil.org.uk)

Telephone: 01983 209022 (Out of Hours: 07502 444883)

Website: <https://www.cowestowncouncil.org.uk/wp/homepage/>

### Site Address

Mornington Road  
Cowes  
Isle of Wight  
PO31 8AU



### Opening hours

This facility is open 24/7.

### Getting here

#### Bus

Local bus services are operated by Southern Vectis.

Route 1 serves Cowes town centre. Timetables, routes and fares can be found on the Southern Vectis website: [www.islandbuses.info](http://www.islandbuses.info)

#### Taxi

Cowes taxi companies:

- AAA Cabs and Taxis 07891 546360 [aaa-cabs.business.site](http://aaa-cabs.business.site)
- Cowes Cabs Taxi Service 01983 303020 [www.cowescabs.co.uk](http://www.cowescabs.co.uk)
- Cowes Taxis 01983 294444 [cowestaxis.com](http://cowestaxis.com)

Pay and Display long stay off street parking is available in Mornington Road car park, Cowes PO31 8AU.

<https://www.iow.gov.uk/transport-and-parking/parking/parking-locations-and-prices/cowes-and-east-cowes/>



### Arrival

The approach route from Mornington Road car park is at a gradient exceeding 1:12 with a footpath of a width of 800mm, which may make it difficult to negotiate by a manual wheelchair user.

The pavement leading from the car park entrance, running alongside Mornington Road to Queens Road may be easier for wheelchair users.

The pavement on Queens Road achieves a width of at least 1800mm and has a firm and level surface.

From the pavement on Queens Road, the entrance to the public conveniences is either via a set of steps and a ramp with a gradient of around 1:6, or via a ramp with a gradient of around 1:8.

### Toilets

Gents and Ladies facilities:

The entrance doors achieve a clear width of 690mm.



Cubicles are fitted with standard WC pans with lever flush, sanitary bins and toilet roll dispensers.

Wallgate hand wash dryers located in the communal areas are fitted with push button controls.



**Accessible facility:**

The cubicle is fitted with a RADAR lock, requiring a RADAR key to open.

The cubicle entrance door achieves a clear width of 900mm.

The cubicle achieves clear dimensions of 1980mm deep by 1650mm wide.

The cubicle is set out in a corner layout designed for independent use.

The toilet seat is set 480mm above floor level.



## **Evacuation**

Users are required to evacuate the building via the entrance doors.