



## Accessibility Guide for The Cut Public Conveniences

### Contact

Contact for Accessibility Enquiries: Please contact the Town Clerk on the number below for all accessibility enquiries prior to your visit.

Email: [townclerk@cowestowncouncil.org.uk](mailto:townclerk@cowestowncouncil.org.uk)

Telephone: 01983 209022 (Out of Hours: 07502 444883)

Website: <https://www.cowestowncouncil.org.uk/wp/homepage/>

### Site Address

The Cut  
Cowes  
Isle of Wight  
PO31 7TD



### Opening hours

This facility is open 24/7.

### Getting here

#### Bus

Local bus services are operated by Southern Vectis.

Route 1 serves Cowes town centre. Timetables, routes and fares can be found on the Southern Vectis website: [www.islandbuses.info](http://www.islandbuses.info)

#### Taxi

Cowes taxi companies:

- AAA Cabs and Taxis 07891 546360 [aaa-cabs.business.site](http://aaa-cabs.business.site)
- Cowes Cabs Taxi Service 01983 303020 [www.cowescabs.co.uk](http://www.cowescabs.co.uk)
- Cowes Taxis 01983 294444 [cowestaxis.com](http://cowestaxis.com)

On street parking is available on Denmark Road.  
Off street parking is available in Cross Street short stay car park.



### **Arrival**

The approach route to The Cut has a firm and level surface and the pavement achieves a minimum width of 1200mm.

### **Toilets**

Unisex facilities:

There is illuminated signage affixed above the entrance doors.

The standard entrance doors achieve a clear width of 800mm.

The cubicle doors are fitted with thumb-turn controls internally.

Cubicles are fitted with blue lighting, which may affect a visually impaired person.

Cubicles are fitted with ergonomic brassware and fittings, sanitary bins and toilet roll dispensers.

Wallgate hand wash dryers are located in each cubicle and are fitted with sensor controls.



**Accessible facility:**

There is illuminated signage affixed above the entrance doors.

The cubicle is fitted with a RADAR lock, requiring a RADAR key to open.

The cubicle entrance door achieves a clear width of 970mm.



The cubicle achieves clear dimensions of 2700mm deep by 1680mm wide.

The cubicle is set out in a corner layout designed for independent use and is illuminated by white lighting.

There is clear space of 1200mm to the side of the pan, measured from the centreline of the pan to the wall.

The toilet seat is set 490mm above floor level.



Changing Places facility:

The cubicle has well contrasting signage.

The cubicle is fitted with a RADAR lock, requiring a RADAR key to open.

The cubicle entrance door achieves a clear width of 1000mm.



The cubicle achieves clear dimensions of 4300mm deep by 3000mm wide.

The cubicle is set out in a peninsular layout designed for assisted use.


There is clear space of 1650mm to the left side of the pan, measured from the centreline of the pan to the wall.

There is clear space of 1050mm to the right side of the pan, measured from the centreline of the pan to the wall.

The basin projects 400mm out from the back of the pan.



The toilet seat is set 490mm above floor level.



The basin is adjustable and achieves adequate clearance knee space.



The hoist serves the WC, basin and changing table positions.



A shower is available for assisted changing.  
An adjustable height changing table is provided.



### **Evacuation**

#### **Changing Places Facility**

A pull cord alarm is fitted next to the door.  
A pull cord alarm is fitted next to the WC / basin.  
The alarm has a sounder and external beacon light.

#### **Accessible Facility**

A push button alarm is fitted next to the WC and entrance/door. The alarm has a sounder and external light.

#### **All Facilities**

Users are required to evacuate the building via the entrance doors.