



## Accessibility Guide for Northwood Recreation Ground Public Conveniences

### Contact

Contact for Accessibility Enquiries: Please contact the Town Clerk on the number below for all accessibility enquiries prior to your visit.

Email: [townclerk@cowestowncouncil.org.uk](mailto:townclerk@cowestowncouncil.org.uk)

Telephone: 01983 209022 (Out of Hours: 07502 444883)

Website: <https://www.cowestowncouncil.org.uk/wp/homepage/>

### Site Address

Northwood Recreation Ground  
Park Road  
Cowes  
Isle of Wight  
PO31 7NP



### Opening hours

The toilets are locked overnight from 9pm in the summer (1 April – 31 October) and from 6pm in the winter (1 November – 31 March).

### Getting here

#### Bus

Local bus services are operated by Southern Vectis.

Route 1 serves Cowes town centre. Timetables, routes and fares can be found on the Southern Vectis website: [www.islandbuses.info](http://www.islandbuses.info)

#### Taxi

Cowes taxi companies:

- AAA Cabs and Taxis 07891 546360 [aaa-cabs.business.site](http://aaa-cabs.business.site)
- Cowes Cabs Taxi Service 01983 303020 [www.cowescabs.co.uk](http://www.cowescabs.co.uk)
- Cowes Taxis 01983 294444 [cowestaxis.com](http://cowestaxis.com)

On street parking is available on Park Road.



### Arrival

The approach route from Park Road has a firm and level surface and the pavement achieves a minimum width of 1800mm.


The access road achieves a minimum width of 1800mm and has a firm and level surface. It leads to a private car park, for users of the Cricket Club.

### Toilets

Gents and Ladies facilities:

There is well contrasting signage affixed above the entrance doors.

The entrance doors achieve a clear width of 900mm.



Cubicles are fitted with ergonomic lever controls.  
Standard cubicles are fitted with WC pans with a push flush, sanitary bins and toilet roll dispensers.  
Wallgate hand wash dryers located in the communal areas are fitted with push button controls.



Accessible facility:

The cubicle is fitted with a RADAR lock, requiring a RADAR key to open.  
The cubicle entrance door achieves a clear width of 900mm.



The cubicle achieves clear dimensions of 1900mm deep by 2000mm wide.  
The cubicle is set out in a corner layout designed for independent use. There is clear space of more than 1200mm to the side of the pan, measured from the centreline of the pan to the wall.



The toilet seat is set 470mm above floor level.

### **Evacuation**

Users are required to evacuate the building via the entrance doors.